OFFICE OF THE PRINCIPAL, BHUBANANANDA ORISSA SCHOOL OF ENGINEERING, CUTTACK – 753007.

Tel: 0671 – 2414092, Tel / Fax – 0671 – 2414092, E-mail: principalbose@rediffmail.com, www.boseorissa.org

TENDER CALL NOTICE No. 2756 / Dt. 12.08.2015

Sealed Tenders are invited from the reputed Manufacturers / Authorized Dealers / Distributors / Suppliers / Government Organizations / DGS&D Rate contract holders having valid VAT / TIN / PAN Registration for supply and installation of Measuring Instruments / Equipments Machines / Computers (of reputed make) to Bhubanananda Orissa School of Engineering, P.O. – S.C.B Medical College & Hospital, Cuttack - 753007, Ph. No. : 0671 - 2414092, Odisha under the Directorate of Technical Education & Training, Odisha, Cuttack, A complete set of BID documents containing the details of items with specification, tentative quantity required, terms and conditions etc. may loaded from the website www.boseorissa.org 14.08.2015, 10.00 AM & can be submitted by speed post / registered post or can be deposited in the office of the Bhubanananda Orissa School of Engineering, P.O. – SCB Medical College Hospital. Cuttack – 753007, super – scribing the package No. & "**Tender for** supply of Tools & Equipments" separately for each package latest by **07.09.2015** up to **4 P.M.** enclosing with Xerox copies of valid documents, catalogues, leaflets, authorization certificate, dealership certificate etc. The same will be opened in the office chamber of the Principal, BOSE, Cuttack at **5 P.M** on date **07.09.2015**. The sealed BID received after due date & time will not be entertained. The Authority reserves the right to accept or reject any or all Tenders without assigning any reason thereof.

Sd/- Principal I/C, BOSE, Cuttack

BHUBANANANDA ORISSA SCHOOL OF ENGINEERING, CUTTACK – 753007

TELE FAX: (0671) 2491902, PHONE: 2491902 E-mail:principalbose@rediffmail.com, www.boseorissa.org

BID REFERENCE NO. - 2756 / BOSE, CUTTACK / TENDER - 12.08.2015

PACKAGE NO. - 01, 02 & 03

BIDDING DOCUMENTS

UNDER

COMPETITIVE BIDDING

FOR

PROCUREMENT / SUPPLY OF TOOLS AND EQUIPMENT'S

FOR

BOSE, CUTTACK.

Bidding Documents: Not Transferable

BHUBANANANDA ORISSA SCHOOL OF ENGINEERING, CUTTACK – 753007

TELE FAX: (0671) 2491902, PHONE: 2491902 E-mail: principalbose@rediffmail.com, www.boseorissa.org

Tender Notice No. - 2756 / BOSE - 2015 - 16 dated 12.08.2015

Tender for supply of Equipments / Instruments for BOSE, Cuttack.

Bidding Documents Not Transferable

	14.08.2015 at 10.00 AM
:	07.09.2015 up to 03.00 PM
:	07.09.2015 up to 04.00 PM
:	07.09.2015 at 05.00 PM
	*Office of Bhubanananda Orissa School of Engineering, Cuttack, SCB Medical College, Cuttack
	– 753007". ** BOSE, Cuttack – 753007.
-	Rs. 100.00 (Non-Refundable / Not Transferable)
	Rs. 100.00 (One Hundred only)

(only by A/c Payee Bank Draft in favour of **PRINCIPAL**, **BOSE**, **CUTTACK** payable at Cuttack drawn on any Nationalised / Scheduled Bank.)

INDEX

SI. No.		DESCRIPTION	Clause No.
1	SECTION - I	INVITATION FOR BIDS (IFB)	
2	SECTION - II	GENERAL TERMS AND CONDITIONS	
		Document Establishing Bidder's Eligibility & Qualification	1.0
		Document Establishing Goods Eligibility	2.0
		Technical Bid	3.0
		Price Bid	4.0
		Bid Conditions	5
		Language of Bid	5.5
		Bid Price	5.6
		VAT / ST clearance	5.7
		EMD / Bid Security Deposit	5.8
		Performance Security	5.9
		Submission of Bids	5.10
		Deadline for Submission of Bids	5.11
		Modification & Withdrawal of Bids	5.12
		Bid Opening	5.13
		Clarification of Bids	5.14
		Preliminary Examination	5.18
		Acceptance of the Bid	5.19
		Rejection of the Bid	5.20
		Purchaser's Right to Accept any Bid and to Reject any Bid	5.21
		Evaluation & Comparison of Bids	5.22
		Supply Conditions	6.0
		Delivery of Goods	6.1
		Plant and Machineries Demonstration cum Inspection	6.2
		Inspection / Test	6.3
		Guarantee / Warrantee Period (comprehensive)	6.4
		Up time Guarantee / Warrantee	6.5
		Downtime Penalty Clause	6.6
			6.7
		Payment Terms	6.8
		Transportation Taylog & Ditting	
		Taxes & Duties	6.9
		Incidental Services	6.10
		Period of Validity of Bids	6.11
		Commissioning Period	6.12
		Standards	6.13
		Award Criteria	6.14
		Penalty against late delivery	6.15
		Penalty against non-supply	6.16
		Demonstration	6.17
		Force measure	6.18
		Rejected items	6.19
		Governing Language	7.00
		Application Law	8.00
		Notification of Award	9.00
		Signing of Contract	10.00
		Resolution of Disputes by Arbitration	11.00
		Jurisdiction of the Court	12.00
3.		FORMS AND ANNEXURES	
4.	SECTION - IV	SCHEDULE OF REQUIREMENTS AND TECHNICAL SPECIFICATIONS	

SECTION – I
INVITATION FOR BIDS (IFB)

BHUBANANANDA ORISSA SCHOOL OF ENGINEERING, CUTTACK – 753007

TELE FAX: (0671) 2491901, PHONE: 2491901

E-mail:principalbose@rediffmail.com, www.boseorissa.org

SECTION – I: INVITATION FOR BIDS (IFB)

1. Introduction:

Sealed Bids (properly stitched separately) in two separate covers (**Technical Bid and Price Bid**) are invited by the Bhubanananda Orissa School of Engineering, Cuttack from the manufacturers / authorised distributors / dealers / suppliers for supply of Tools & Equipment's for set-up / modernization of different laboratory.

A completed set of bidding documents may be purchased by prospective bidders on payment of a non-refundable fee as indicated below in the form of a Demand Draft in favour of "Principal, BOSE, Cuttack payable at Cuttack" drawn on any Nationalised / Scheduled Bank, from the office of BOSE, Cuttack during office hours from **10.00 AM** to **05.00 PM** on all working days either in person or by post.

The Bidders may download the **Tender Documents** directly available in the WEBISTE **www.boseorissa.org** and the Tender Paper cost of Rs. 100/- (Non-Refundable) by way of separate Demand Draft drawn in favour of **Principal, BOSE, Cuttack** payable at Cuttack should be enclosed along with the Bid. The Bidders should specifically super-scribe, "Downloaded from the WEBSITE" on the top left corner of the sealed envelope. The Tender cost and the EMD amount should be submitted in separate demand drafts. In case of any bid amendment and clarification noticed, responsibility lies with the bidders to collect the same from the website before last date of purchaser of tender document and the purchase shall have no responsibility for any delay or omission on part of the bidder.

TIME SCHEDULE:

a.	Price of Bidding	:	Rs. 100/- (Non-Refundable)		
b.	Postal Charges, inland	:	Rs. 100.00 (Extra)		
C.	Date of Commencement of Sale of Bidding		14.08.2015 at 10.00 AM		
	document				
d.	Last date for sale of Bidding documents	:	07.09.2015 up to 03.00 PM		
e.	Last date and time for receipt of bids	:	07.09.2015 up to 04.00 PM		
f.	Date and Time of opening of Tender and Technical	:	07.09.2015 at 05.00 PM		
	bid				
g.	*PLACE OF OPENING OF TENDER	:	*Office of Bhubanananda Orissa School		
	AND		of Engineering, Cuttack, SCB Medical		
	**ADDRESS FOR COMMUNICATION		College, Cuttack – 753007.		
	AND		** BOSE, Cuttack – 753007.		
	RECEIPT OF BID DOCUMENTS				

Principal BOSE, Cuttack.

SECTION – II GENERAL TERMS AND CONDITIONS

GENERAL TERMS AND CONDITIONS OF CONTRACT FOR SUPPLY OF TOOLS &EQUIPMENTS FOR SET UP OF "INDUSTRIAL SAFETY LABORATORY"

Clause	DESCRIPTION
No.	
1	Document Establishing Bidder's Eligibility & Qualification
	The Bidders shall furnish as part of the Bid the following Documents establishing Bidders
	eligibility and qualification to perform the contract to the Purchasers satisfaction.
1.1	Manufacturer / Authorised Distributor / Dealer having valid license / certificates for the
	quoted item and the direct Importers holding valid Import License of the product are
	eligible to participate in the Bid.
1.2	Bidders should have ISI or equivalent certificate for quoted instruments and equipment.
	However, the Purchaser shall have the right to consider the items where ISI or equivalent
1.3	certification is not applicable.
1.3	The Bidder whether manufacturer / distributor / dealer must have experience of supply and installation of the quoted items in reputed Government Institutions / Public Undertakings /
	reputed Private Institutions within India / aboard during last preceding 5 (Five) yeas
	reckoned from the date of bid opening and the details must be submitted as per Annexure
	− IV along with documents of proof.
1.4	The Bidders shall have to produce document in support of their service associates nearest
	to Bhubaneswar, Odisha.
1.5	The Bidder is to submit a certificate from the Banker establishing the financial capability to
	handle this project.
1.6	Bidder shall have to provide operational Training for Machineries to one Official of
	consignee at Suppliers Plant or Consignee site at least for 3 to 5 days whichever is
	suitable to purchaser.
2	Document Establishing Goods Eligibility
	The instruments and equipment offered against the schedule of requirement of instruments, equipment and Machineries should be in accordance with the stipulated
	specifications and or reputed brand.
2.1	The documentary evidence establishing the brand and the model may be in the form of
	literature, pamphlets, manuals, drawing, circuit diagram etc.
	Detailed description of instruments and equipment with essential technical and
	performance characteristics may also be furnished.
2.3	The Bidders should clearly mention in their bid regarding the compatibility of the various
	equipment or the individual units.
2.4	The quantity shown in the bid can be increased or decreased to any extent depending
	upon the actual requirement.
2.5	In case of electrical instruments / equipment, the same should confirm to IEC - 60601 or
	equivalent in support of electrical safety for operation
2.6	The instruments and equipment should have testing certificate for its satisfactory
	functioning.
3	Technical Bid (COVER – A)
	The following documents should be submitted after being attested by Notary Public.
1 ~ -	
	Earnest Money Deposit. Copy of the manufacturing license import license / Authorized Distributor / Dealer

	Certificate. The product offered in the bid should be from a valid registered unit as a manufacturer supported by certificate of registration from DIC or similar authority shall be enclosed.
3.3	Copy of the authorization from the Manufacturing Company / Authorized Distributor / Dealer. Annexure – III
3.4	The latest VAT / ST clearance certificate.
3.5	Performance / Market standing certificate as per Annexure - IV establishing that the
	Bidders have executed supply of such items as mentioned in Schedule of Requirement of
	instruments and equipment to different Government Organisations / Governments PSUs /
	reputed Private Institutions.
3.6	An affidavit in the prescribed declaration format as per Annexure – V. (Those are not registered under Odisha VAT.)
3.7	Copy of the IT PAN Card.
3.8	Details name, address, telephone no. fax, e-mail of the firm and of the Director / Managing Director / Proprietor of the firm (As per Annexure – VII)
3.9	Address, Telephone No. e-mail, FAX of the Branch Office / Contract Person / Liasoning Office in Odisha. (As per Annexure – VII)
3.10	Power of Attorney / Authorisation to a person for liasoning and monitoring the business on
	behalf of the manufacture / bidder but not entitle to raise the bills.
3.11	Document if any to establish the recognisation of the manufacturing unit in respect of ISO
	or equivalent.
3.12	The original bid book signed & sealed by authorized person in each page as a token of acceptance of all terms and conditions of the tender with original receipt.
3.13	Document evidence establishing that the instruments & equipment and ancillary services
	to be supplied by the Bidders shall confirm to the Bidding Document.
3.14	Check list with detail of the document enclosed with page numbered. The document should be serially arranged as per this Annexure – VIII and should be securely tied and bound.
3.15	Bidders are required to submit Para-wise compliance to each parameter of specification.
3.16	Any deviation in the specification of the item including standard accessories / optional accessories should be marked in bold letters .
3.17	Bid form to be attached as per Annexure – VI.
3.18	Details of foundation drawing for instruments and equipment, if any, should be provided without the bid is liable for rejection.
3.19	The details of the service station / service associates nearest to Bhubaneswar shall have to be submitted to quality in the technical bid.
3.20	Willingness to provide operational Training for Machineries to one Official of each
0.20	consignee at Suppliers Plant or Consignee site at least for 3 to 5 days whichever is
	suitable to Purchaser.
4	Price Bid (COVER – B)
4.1	The bid form quoting the rates for various instruments & equipment and other items should
	be submitted in a separate sealed cover hereinafter called Cover B (Price Bid).
	Price Bid (Cover - B) of the bidders who qualify in Technical Bid (Cover - A) will only
	be opened.
4.2	The price of the each item shall be quoted as per the prescribed Price Schedule Format in

Annexure - I along with price break up of custom duty, Excise Duty, CST, Packing, Forwarding and Handling charges, Insurance charges, Entry Tax (ET), Freight up to destination including unloading, VAT, installation and commissioning charges, incidental service including testing and training with total price per item at FOR destination. The bidders are required to submit the individual price of each instruments and equipments as indicated in the schedule of requirements. 4.3 Each quoted item and all accessories should have warranty / guarantee for 2 (two) year from the date of commissioning (Annexure – II). 4.4 The Cover B of the qualifying bidders will be opened at the Office of the Bhubanananda Orissa School of Engineering, Cuttack on the date and time, that will be communicated to them after technical evaluation of Cover A. The cost of standard accessories and optional accessories shall have to be quoted 4.5 separately. The bidders are required to submit the list of the spare parts required for the machine as 4.6 well as the list of the dealers / Distributors of the spare parts nearest to Bhubaneswar, Odisha for its availability. 5. **BID CONDITIONS** 5.1 The bidder should quote for the full quantity of the items. 5.2 The quoted rate shall not vary with the quantum of order placed or destination point. 5.3 A copy of the original bid conditions and the schedules should be signed by the bidder at the bottom of each page with the office seal duly affixed and returned along with the bid. Bid schedule should be duly filled in with an **index** and **page number** for the documents, enclosures & EMD etc. **Paging** must be done for all the documents submitted. Bids should be type written or Computerized and every correction / over writing in the bid 5.4 should invariably be attested with signature of the bidder with date before submission of the bids to the authority. No revision of price upward or downward will be allowed once the bid is opened. However the purchaser shall have the right for considering the exchange rate of foreign currencies on verification of documents. 5.5 Language of Bid. The Bid prepared by the bidders and all correspondence and document relating to the bid exchanged by the Bidders and the Purchaser, shall be written in the English language. Supporting document and printed literature furnished by the Bidders may be written in another language provided they are accompanied by an accurate translation of the relevant passages in the English language in which case, for purposes of interpretation of the Bid, the English translation shall govern. **Bid Price** 5.6 The contract shall be for the full quantity as described above. Corrections, if any, shall be made by crossing out, initializing, dating and re-writing. All duties, taxes, and other levies payable on the raw materials and components, job contract shall be included in the total price. VAT in connection with the sale shall be shown separately. The rates quoted by the bidders shall be fixed for the duration of the contract and shall not be subject to adjustment on any account. The price shall be quoted in Indian Rupees only. VAT / ST clearance 5.7 Copies of valid VAT clearance Certificates shall be furnished by the Bidders and the originals of the above certificates shall be produced to the purchaser before placement of notification of award if asked for by the Purchaser. As per Section 99 of VAT Act Foreign Companies / Bidders from outside the State who intend to participate in the bid and who have not been registered under VAT Act., Odisha, as they have not started any business in the State as yet, may be allowed to participate in the Bid without having any VAT clearance Certificate subject to condition that they should submit undertakings in the form of an affidavit (Annexure-V) indicating therein that they are not registered under the VAT Act., Odisha as they have not started any business in the State and they have no liability under the Act., but before award of the final contract such bidders will have to produce the VAT Clearance Certificate in Form VAT 612.

5.8 **EMD / Bid Security Deposit :**

All bidders are required to submit EMD/ Bid Security of 2% of the quoted amount in shape of Demand draft / irrevocable BG(Annexure-X) drawn in favour of Principal, BOSE, Cuttack only. The bid security shall be in Indian Rupees.

NOTE: Non-submission of EMD or submission of less EMD than the desired one shall result in rejection of Bid.

The bid security is required to protect the Purchaser against the risk of Bidder's conduct which would warrant the security's forfeiture.

Unsuccessful bidders' bid security will be discharged after signing of contract with successful bidders.

The successful Bidder's bid security will be discharged upon after signing the contract and furnishing the performance security by the Bidders.

The bid security may be forfeited if a Bidder withdraws its bid during the period of bid validity and in the case of a successful Bidder, if the Bidder fails to furnish performance security. The EMD / performance Security deposited against other Bids cannot be adjusted or considered for this Bid No. interest is payable on EMD / performance Security.

5.9 **Performance Security**

The successful Bidders shall furnish Performance security (Annexure – X) within 21days after the Supplier's receipt of **Notification of Award** for an amount equivalent to 5% (Five Percent) of the Contract Price in the form of Demand Draft/ irrevocable BG issued by a Nationalized Bank in favour of the Purchaser valid up to 60 (sixty) days after the date of completion of Performance obligations including warranty obligations.

The Performance Security will be discharged by the **Purchaser** and returned to the Supplier not later than 60 days following the date of completion of the supplier's performance obligations, including the warranty obligations, under the Contract.

The Performance Security shall be forfeited in case any terms and conditions of the contract are infringed or the bidders fails to make complete supply satisfactorily or complete the work within the delivery / completion period agreed in the contract without prejudice to the purchaser's right to take further remedial actions in terms of the contract and bidding document which formed part of the contract.

5.10 **SUBMISSION OF BIDS**

Sealing and Marking of Bids

Bid should be submitted in two Bid system containing two parts as detailed below.

Sealed Cover - A : Technical Bid.

Sealed Cover - B : Price Bid

Both the sealed envelopes should then be put in one outer cover and each cover should have the following indication:

	i. Reference No of Bid
	ii. Bid regarding
	iii. Due date & time for submission of the Bid
	iv. Due date & time for opening of the Bid
	v. Name of the Firm
	NOTE:
	A. Bids submitted without following two Bid system procedures as mentioned
	above will be summarily rejected.
	B. Please Note that prices should not be indicated in the Technical Bid. The Prequalification document including EMD/ Performance Security as required in the Bid document should invariably be accompanied with the Technical Bid (Cover A). The outer envelope shall indicate the name and address of the bidders to enable the bid to be returned unopened in case it is declared "late". If the cover containing the outer envelope is not sealed and marked as required, Purchaser will assume no responsibility for the bid's misplacement or premature opening. The above procedure shall be adopted both for the Technical bid and price bid
	separately.
	Telex, cable, email or facsimile bids will be rejected.
5.11	Deadline for Submission of Bids
0.11	Bids must be received by the <i>Purchaser</i> at the address specified not later than the time
	and date specified in the Invitation of Bids. In the event of the specified date for the submission of bids being declared a holiday for the Purchaser , the bids will be received up to the appointed time on the next working day. The Purchaser may, at its discretion, extend this deadline for submission of bids by amending the bid document, in which case all previous rights and obligations of the
	purchasers and bidders will remain same till the extended date.
5.12	Modification and Withdrawal of Bids
	No Modification and Withdrawal of Bids is allowed between the interval of time of submission and the last date and time of the bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the bidders on the bid form. Withdrawal of a bid during this interval may result in the bidder's forfeiture of its bid security.
5.13	BID OPENING
5.14	Clarification of Bids: The <i>Purchaser</i> will open all bids, in the presence of bidder's representatives who choose to attend at 4.00 PM on dated 07-09-2015 at the Principal Chamber BOSE, Cuttack.
5.15	The bidder's representatives who are present shall sign a register evidencing their attendance. In the event of the specified date of bid opening being declared a holiday for the <i>Purchaser</i> , the bids shall be opened at the appointed time and location on the next working day.
5.16	The bidder's names, and the presence or absence of the requisite performance security and such other details as the <i>Purchaser</i> , at its discretion, may consider appropriate will be announced at the opening. No bid shall be rejected at bid opening, except for late bids, which shall be returned unopened to the bidders.

5.17 Clarification of Bids

During evaluation of bids, the **Purchaser** may, at its discretion, ask the bidders for clarification of its bid. The request for clarification and the response shall be in writing. Unless the purchaser asks for change in price due to the clarifications sought, the bidder is not permitted to alter the price furnished.

5.18 **Preliminary Examination**

- The **Purchaser** will examine the bids to determine whether they are complete,
- Whether any computational errors have been made
- Whether required sureties have been furnished
- Whether the document have been properly signed
- Whether the bids are generally in order
- Bids from Representatives, without proper authorization from the manufacturer shall be treated as non-responsive.
- Arithmetical errors will be rectified on the following basis. For example if there is a
 discrepancy between the unit price and the total price that is obtained by multiplying the
 unit price and quantity, the unit price shall prevail and the total price shall be corrected.
 If the supplier does not accept the correction of errors, its bid will be rejected.
- If there is a discrepancy between words and figures, the amount in words will prevail.
- Whether bids received along with certified copies of VAT valid up to preceding year issued by competent authority or declaration as per Annexure – VI.
- The *Purchaser* may waive any minor informality or non-conformity or irregularity in a bid which does not constitute a material deviation, provided such a waiver does not prejudice or affect the relative ranking of any bidders.
- The purchaser's determination of bids responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.
- A bid determined as not substantially responsive will be rejected by the *Purchaser* and may not subsequently be made responsive by the bidders by correction of nonconformity.

5.19 Acceptance of the Bid

- Bidders submitting bids would be considered who have considered and accepted all terms and conditions. No enquiries, verbal or written, shall be entertained in respect of acceptance or rejection of the bid.
- Genuine equipment and instrument etc. should be supplied. Bidders should indicate the source of supply i.e. name and address of the manufacturers from whom the items are to be sourced.
- Supply of equipment means Installation and Commissioning, Demonstration as well
 as Training at site / Ex-Factory. No separate charges will be paid on this account.

5.20 Rejection of the Bid

- The Bid document shall be out-rightly rejected under following stipulation and no correspondence will be entertained whatsoever.
- If the Bidders has not furnished the EMD / BID Security (Annexure X) or EMD exemption certificate from competent authority.
- If the Bidders has not submitted the Price as per the prescribed annexure I.
- If the bid is not supplemented with breakup of standard accessories / Optional accessories & cost of AMC separately for three years after completion of warranty period.

- Photo copy of the up-to-date valid manufacturing license / import license (if it is imported) / dealership certificate / Distributor certificate.
- If the bidders, whether manufacturer or authorized distributor / dealer have not supplied the required quantity for qualification as per the eligibility criteria and not submitted the performance statement at Annexure – IV
- If the quoted product of the bidders not confirms to technical specification and standard of workmanship required by the Purchaser.
- If the bidder has not furnished detailed mandatory drawings, Foundation drawings & schedule of supply of items, if required.
- An affidavit in the prescribed declaration format as per Annexure V. (Those are not registered under ODISHA VAT.)
- If the bidders has not agreed to give the required performance security.
- If Bidder is not willing to provide operational Training for Machineries to one Official at Suppliers Plant site at least for 3 to 5 days whichever is suitable to Purchaser.

5.21 Purchaser's Right to Accept any Bid and to Reject any Bid

The Purchaser reserves the right to accept or reject any bid and to annul the bidding process and reject all the bids without assigning any reason thereof at any time prior to award of Contract, without thereby incurring any liability to the affected Bidders or Bidders on the grounds of such action of the purchaser. In case no bidder qualifies as per qualifying criteria and standards, purchaser may at his discretion relax qualification criteria for award of contract.

5.22 **Evaluation and Comparison of Bids**

The comparison shall be of FOR destination price basis including the price of all costs wherever applicable as well as duties and taxes (**but excluding VAT**) paid or payable and Machineries, instruments & equipment incorporated or to be incorporated in the items including the warrantee/guarantee period from the date of installation.

- The Purchaser's evaluation of a bid will take into account, in addition to the bid price and the price of incidental services.
- The purpose of bid evaluation is to determine substantially responsive bid with the lowest evaluated cost, but not necessarily the lowest submitted price, which should be recommended for award.
- Evaluation of bids should be made strictly in terms of the provisions in the bid document to ensure compliance with the commercial and technical aspects.
- The past performance of the suppliers will be taken into account while evaluating the bids.
- Cost of the inland transportation, insurance and other costs within the Purchaser's Country incidental to delivery of the goods to their final destination;
- Delivery schedule offered in the bid;
- Deviations in payment schedule from that specified in the General Terms & Conditions of Contract;
- The cost of components, spare parts and service.
- The availability in the Purchaser's country of spare parts and after-sales services for the goods offered in the bid;
- The projected operating and maintenance costs during the life of the equipment/ goods.
- The performance and productivity of the equipment/ goods offered:

- The quality and adaptability of the equipment/ goods offered.
- Any other point as deemed proper to be incorporated by the evaluation committee.
 Alternative options of offer shall not be allowed.
- Each Bidder shall submit only one quotation.
- The quotation would be evaluated separately for each item
- Sales Tax in connection with sale of goods shall not be taken into account in evaluation.
- Negotiation shall be made with the lowest evaluated bidder.
- Lowest evaluated price shall be taken in to consideration, but not the lowest quoted price. The evaluation shall include the vetting of technical specification, comparison of price as per Govt. of Odisha guideline. The cost of AMC shall be considered separately.
- Willingness to provide operational Training to one Official of each consignee at Suppliers Plant or at consignee site for at least 3 to 5 days whichever is suitable to Purchaser.

6.0 **Supply Conditions**

6.1 **Delivery of Goods**

The delivery of goods shall be made by the supplier to the Consignee in accordance to the order as shall be detailed in the Schedule of requirements & technical specifications.

6.2 Instruments, Equipment & Machineries Demonstration cum Inspection

Purchaser reserves the right to ask for demonstration cum inspection of the instruments & equipment where ever applicable.

6.3 Inspection / Test / Training

The supplier shall get each equipment inspected in manufactures works and submit a test certificate (New & Un used) and also guarantee / warranty certificate that the equipment confirms to laid down specifications.

The supplier shall invite the purchaser for pre-dispatch inspection. The Purchaser or his representative shall have the right to inspect / examine / test the goods in conformity with the contract awarded / supply order during the production or before dispatch from the manufacturer's premises. Such inspection and clearance will not prejudice the right of the consignee to inspect and test the equipment on receipt at destination.

The inspection/examination / test may be conducted in the premises of the Supplier or at the goods final destination or at the premises of the consignee, as will be decided by the Purchaser.

The purchaser's right to inspect / examine / test & where necessary to reject the instruments & equipment after the arrival of the goods at the final destination, shall in no way be limited or waived by the reason of the goods having been inspected and tested by the manufacturer previously. In case of rejection of the goods at the final destination after inspection and test as stipulated above and in case any inspected / tested goods fail to confirm to the specification / working condition, the purchaser may reject them and the supplier shall replace / repair the same free of cost.

6.4 Warrantee Period (Comprehensive)

The Bidders must quote for a minimum period of 2 (Two) years of comprehensive warranty from the date of completion of the satisfactory commissioning as per (Annexure – II). This also includes all accessories related to instruments & equipment quoted for

6.5 **Up time Warrantee**

The Bidders should provide uptime guarantee of 95%.

6.6 **Downtime Penalty Clause**

During the warranty period, desired uptime of 95% of 365 days (24 hours) if downtime exceeds 5%, penalty in the form of extended warranty, double the number of days or more will be applied for which the equipment goes out of service.

In no case the machineries should remain in non-working condition for more than 30 days beyond which a penalty of 0.2% of machine cost will be charged per day.

The principal or his agents are required to submit a certificate that they have satisfactory service arrangements and fully trained staff available to support the uptime guarantee.

6.7 **Payment Terms**

No advance payment will be made by the Purchaser to the supplier for performance of the contract. 100% of the contract price shall be paid within 15 (fifteen) days after receipt of stock entry certificate from the Consignee, after satisfactory supply, installation, demonstration, Commissioning & training of the goods within due date of delivery.

6.8 Transportation

The Supplier shall be required to meet all transport and storage expenses until commissioning of the instrument(s) / equipment covered in the contract.

6.9 Taxes and Duties

The Supplier shall be entirely responsible for payment of all Taxes, Duties etc. incurred until delivery of the contract goods to the Consignee subject to recovery afterwards in the bill as claimed in the Bid offer.

VAT as applicable is payable, to the suppliers of the State of Odisha if claimed in the Bid offer.

C.S.T will be paid to the Suppliers of the outside State other than Odisha, if claimed in the Bid offer. Any revision of CST shall automatically be taken into account.

Entry Tax, if paid by the Supplier, at the local (destination head) Corporation / Municipality / NAC is allowed once only on production of money receipt for such payment, if claimed in the Bid offer.

Any other statutory levy imposed by the Govt. of India/ Govt. of Odisha from time to time will be considered extra on demand with adequate proof thereof.

The service tax and the work contract tax shall be levied (Wherever applicable). Income Tax as applicable shall be deducted at source.

6.10 Incidental Services

The Supplier shall be required to provide any or all of the following services: (The cost should be included in the quoted Price)

- Furnishing of detailed literature / pamphlets / circuit diagram / operation & maintenance manual / drawings (as applicable) for each appropriate unit of supplied goods.
- Furnishing of tools required for assembly and / or maintenance of the supplied goods.
- Performance or supervision of on-site assembly and the supplied goods.
- Performance or supervision or maintenance and/ or repair of the supplied goods, for a
 period of time agreed by the parties, provided that this service shall not relieve the
 supplier of any warranty/ guarantee obligations under the contract.
- Training of the Purchaser's personnel at the Supplier's plant and / or on site, in assembly, start up, operation, maintenance and / or repair of the supplied goods is Mandatory. A maintenance contract for the goods supplied, if required by the user beyond the warranty period shall be on mutually agreed upon terms between the user and supplier. The cost of such maintenance contract shall not be included in the Bid cost.

6.11 Period of Validity of Bids

- The bid rates should be kept open/ valid for a period of 120 days from the date the Bids are opened.
- A bid valid for a shorter period i.e less than 120 days shall be rejected, as non-responsive.
- In absence of any indication of the date of validity in the bid, it will be presumed that the
 offer will remain valid for the minimum period i.e. 120 days as prescribed above.
- In exceptional circumstances the purchaser may solicit the bidders consent for extension of the period of validity. If agreed upon, the bid security so deposited shall also be suitably extended.

6.12 **Commissioning Period**

Maximum commissioning period is **30 days** from the date of supply.

6.13 **Standards**

The Goods supplied under this Contract shall New & Un used confirms to the standards mentioned in the Technical Specifications and when no standard is mentioned, the Goods shall conform to the standards prescribed by the Bureau of Indian Standard (BIS) or equivalent wherever necessary.

6.14 Award Criteria

- The Purchaser will award the Contract to the successful Bidders whose bid has been determined as the lowest evaluated bid, provided further that the Bidders is determined to be qualified to perform the Contract satisfactorily.
- Quality, durability and adaptability of the instrument(s) / equipment(s) offered suiting to the purpose shall continue to be the overriding factor for selecting the same and determining the lowest evaluated bid.
- The purchaser shall award the contract within the period of validity of bids to the Bidders who meets the Bid condition in all aspects has the necessary technical and production capabilities and financial resources whose Bid is substantially responsive to the bid conditions and has offered the lowest evaluated cost

6.15 Penalty against late delivery

If the delivery is not effected in the due date i.e. 2 (Two) months from the date of issue of Purchase Order the purchaser will have the right to impose penalty as under.

- a. First extension of 1(one) month or part thereof @ 2% of the value of balance items;
- b. For second extension for an additional one month 3 % of the value of balance items
- c. If the bidder fails to execute the order within the extended time schedule as above the firm will be black-listed for two years from the date of issue of purchase order.

6.16 **Penalty against Non Supply**

In case of non supply of Stores within the due date i.e. within the date of delivery, the Principal, BOSE, Cuttack, Odisha will have the right to impose penalty, as deemed fit, to resort to risk purchase in full or part thereof at his / her discretion, his / her decision shall be final and binding and the cost shall be recovered for the defaulted party.

6.17 **Demonstration**

The bidders may be required to demonstrate the quoted instrument(s) & equipment(s) during the technical evaluation, if required, at the nearest point of installation failing which their bids/offer shall be rejected

6.18 Force measure

The Supplier shall not be liable for forfeiture of its performance security, liquidation

damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force measure. For purposes of this Clause "Force majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the *Purchaser* either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

If a Force Majeure situation arises, the Supplier shall promptly notify the **Purchaser** in writing of such conditions and the cause thereof. Unless otherwise directed by the **Purchaser** in writing, the Supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

6.19 Reject Items

No payment shall be made for rejected supplied items. Rejected items must be removed by the bidders within two weeks of the date of rejection at their own cost and replace immediately. In case these are not removed these will be auctioned by the purchaser (at the risk and responsibility of the suppliers) without any further notice.

6.20 **Annual Maintenance Contract**

The Cost of Annual maintenance contract for next 3 years after warranty period shall be submitted as per the **Annexure at I - (b)**. The after sales service during and after the warranty / guarantee period should be available from companies own engineers.

7.0 **Governing Language**

The contract shall be written in English language. All correspondence and document pertaining to the Contract which is exchanged by the parties shall be written in the same language.

8.0 Application Law

The Contract shall be interpreted in accordance with the laws of the Union of India.

9.0 **Notification of Award**

- Prior to the expiration of the period of validity of the Bid, the Purchaser will notify the successful Bidders in writing by registered letter or by Fax, to be confirmed in writing by registered letter or by speed post, that his bid has been accepted.
- The notification of award will constitute the formation of the Contract.
- Upon the successful Bidder's furnishing of the performance security, the Purchaser will
 promptly notify each unsuccessful Bidder and will discharge its bid security.

10.0 **Signing of Contract**

At the same time as the Purchaser notifies the successful Bidders that his bid has been accepted, the Purchaser will send the Bidders the Contract Form provided in the bidding document (**Annexure – XI**), incorporating all terms and conditions of the **agreements** between the parties within thirty (21) days of receipt of the Contract Form, the successful Bidders shall sign and date the contract and return it to the Purchaser.

11.0 Resolution of Disputes by Arbitration

The Purchaser and the Supplier should try to resolve the disputes, if any, arising out of the contract, amicably between them, failing which the same shall be referred to the Commissioner Cum Secretary to Government, Employment, Technical Education & Training Department, Government of Odisha, Bhubaneswar for adjudication as the ole Arbitrator under the provisions of the Arbitration and Conciliation Act, 1996 whose decision

	will be final and binding on all the parties to the dispute.
12.0	Jurisdiction of the Court
	The Purchaser and the Supplier shall agree that the competent Court at Cuttack shall have the jurisdiction to try and decide anything between the parties and they may
	approach the Competent Court at Cuttack if required at any time.

Principal BOSE, Cuttack.

SECTION – III FORMS AND ANNEXURES

BID REFERENCE NO. – 2756 / BOSE, CUTTACK / TENDER – 12.08.2015 PRICE SCHEDULE (ITEM WISE)

1	2	3		4 PRICE FOR EACH UNIT EXCLUDING VAT							5	6	7
	Item Description	Quantity	Ex-factory / Ex-Ware House / Ex-Showroom / Off- the Shelf	Excise Duty, if any	Packing & Forwarding	Inland transport, insurance and incidental costs, incidental to delivery	Incidental services including design, fabrication, erection & commissioning	Customs duty if applicable	ET and other taxes if any payable	Unit price at consignee point excluding VAT	VAT per unit	Unit price at consignee point including VAT	Total Unit price including VAT oer schedule for delivery at final destination
			а	b	С	d	е	f	g	F = a + b + c + d + e + f + g		6 = 4F + 5	$7 = 6 \times 3$

Unit price in words (Rupees) Only		
Note:		

a. In case of discrepancy between unit price and total price, the unit price shall prevail.

Place:	Signature of Bidders
Date :	Name

PRICE SCHEDULE (ITEM WISE) - B

PRICE SCHEDULE FOR ANNUAL MAINTENANCE CONTRACT AFTER COMPLETION OF WARRANTY PERIOD.

SI. No.	Brief description of Goods	Quantity in Nos.				Total Annual Maintenance Contract cost 3 years i.e. 3 x (4a + 4b + 4c)
1	2	3	4			5
			1 st Yr.	2 nd Yr.	3 rd Yr.	
			а	b	С	

^{**} After Completion of warranty period

Note:

- 1. In case of discrepancy between unit price and total prices, THE UNIT PRICE shall prevail.
- 2. The cost of Annual Maintenance Contract (AMC) which includes preventive maintenance including testing & calibration as per technical / service / operational manual, labour and spares, after satisfactory completion of warranty period may be quoted for next 3 years on yearly basis for complete equipment and turnkey (if any).
- 3. The cost of AMC may be quoted along with taxes applicable on the date of bid opening. The taxes to be paid extra, to be specifically stated. In absence of any such stipulation the price will be taken inclusive of such taxes and no claim for the same will be entertained later.
- 4. Cost of AMC will not be added for Ranking / Evaluation purpose. However, the cost of AMC for lowest evaluated bidder is subject to negotiation.
- 5. The payment of AMC will be made as per payment terms of the bid document.
- 6. The uptime warranty and down time penalty shall be as per the bid document.
- 7. All software update should be provided free of cost during AMC period.
- 8. The stipulations in Technical Specification will supersede above provisions.
- 9. The supplier shall keep sufficient stock of sparse require during Annual comprehensive Maintenance Contract period. In case the spares are required to be imported, it would be the responsibility of the supplier to import and get them custom cleared and pay all necessary duties.

Place: Signature of Bidder Business
Date: Address. Seal of the Bidder.

BID REFERENCE NO. - 2756 / BOSE, CUTTACK / TENDER - 12.08.2015

WARRANTY MAINTENANCE CONTRACT AGREEMENT

THIS AGREEMENT made the day of, 20 between the BOSE,	Cuttack
(hereinafter "the Purchaser") of the one part and M/s	
(Herein after called "the Supplier") of the other part:	

Name of the Equipment & machineries

Qty

(To be filled in as per details of goods in the award of Contract)

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. Maintenance Services shall consist of Preventive and Corrective maintenance of equipment specified above & will include repair and replacement of parts free of cost.
- 2. Preventive maintenance, monthly once, which includes:
 - 2.1. Check-up to ensure that device connection is proper; cabling is at proper condition etc.
 - 2.2. Cleaning of the above instruments & equipments and checking the System Performance.
- 3. The Supplier is to furnish the tentative schedule of the preventive maintenance of Warranty Maintenance Contract (WMC) to be carried out.
- 4. The parts replaced must be new parts or equivalent in performance to new parts.
- 5. The Supplier will also provide the same maintenance service in case of the movement of equipment from the place of original installation to a different place or location, if the equipment is shifted by the Purchaser to another place or location at the cost and risk of the purchaser.
- 6. Any complaint informed through telephone must be acknowledged with a Complaint No. by the Supplier which will be noted by Consignee. All further contact with the Supplier on such complaint will be initiated through that Complaint No. Once rectification done, that No. will be cancelled by both parties. A register is to be maintained by the Supplier where complaints are to be noted along with Complaint No.

- 7. The maintenance shall normally be done at the earliest.
- 8. The Service Engineer of the Supplier will be allowed to handle the respective plant & machineries only in presence of the officer in charge at the Consignee site.
- 9. The Supplier should ensure that maintenance job is not hampered/ delayed due to paucity of spares/inadequate manpower etc.
- 10. The Supplier should submit the services call report, to the Consignee for each and every service call without fail.
- 11.In case of delay/ lack of communication, down time will be calculated as mentioned below in WMC Clause.

COMPREHENSIVE WARRANTY MAINTENANCE CONTRACT (CWMC) CLAUSE

Normal response time for repair is 72 hours from the actual time of reporting of the problem to the Supplier.

	PERIOD	EXTENSION OF WMC PERIOD
Response Time	Above 24 hrs. & below 48 hrs.	2 days for delay of each day.
	Above 48 hrs. & below 96 hrs.	One Week for each day of delay
	Above 96 hrs.	Two Weeks for each day of delay
Down Time	Above 24 hrs. & below 48 hrs.	Two days for delay of each day.
	Above 48 hrs. & below 96 hrs.	One Week for each day of delay
	Above 96 hrs.	Two Weeks for each day of delay

- 13. The Supplier evaluation data format for the WMC of Consignee systems may be filled up for necessary action.
- 14. All formats after filled up should be signed at the end of each page by the Supplier.
- 15. After completion of the work/repair/maintenance, the Purchaser shall issue a certificate of completion to the supplier to that effect.

Signature for the Purchaser		Signature for the	Signature for the Supplier		
Name	:	Name	:		
Designation	:	Designation	:		
Address	:	Address	:		

Telephone No. : Telephone No. :

BID REFERENCE NO. - 2756 / BOSE, CUTTACK / TENDER - 12.08.2015

MANUFACTURERS AUTHORIZATION FORM

No. _____ Date ____

To The Principal BOSE, Cuttack.	
Dear Sir,	Bid No
We	who are established
and reputable manufacturers of	having factories at
	(Address of Factory)
dot hereby authorize M/s	(Name and address of
Agent) to submit a bid and sign the	contract with you against the above bid.
* No company or firm or inc	ividual other than M/s are
authorized to bid and conclude the	contract in regard to this business against this specific IFB.
We hereby extend our full	guaranty and warranty as per general conditions of contract for
the goods and services offered by	he above firm against this bid.
	Yours faithfully,
	(Signature for and on behalf of Manufacturers)
Note: This letter of authority shou	d be on the letterhead of the manufacturer and should be signed
by a person, competent and havi	g the power of attorney to bind the manufacturer. It should be
included by the Bidders in its bid.	
 This para should be deleted 	or simple items where manufactures sell the product through

The Supplier / Managing Director of the Company (if the supplier is a Company) or the Power

of Attorney Holder having specific power to sign the contract can only sign the contract /

different stockiest.

execute the agreement.

BID REFERENCE NO. 2756 / BOSE, CUTTACK / TENDER - 12.08.2015

PERFORMANCE STATEMENT (In Proof of Eligibility of Bidders for the Period of Last Five Years)

Documentary evidence viz. copy of award letter, certificate of performance in support of satisfactory execution of works

Order placed by the Organisation with address	Order No. & Date	Items / Quantity	Date of Completion of Delivery	Remarks indicating reasons for late delivery, if any	Contact person of the organization and contact number

BID REFERENCE NO. 2756 / BOSE, CUTTACK / TENDER – 12.08.2015 <u>DECLARATION</u>

I / We M/s						repres	sented by	y its
Proprietor/Managing	Partner/	Managing	Director	having	its	Registered	Office	at
						and	d its Fac	tory
premises at							_ do dec	lare
that I/ We have caref	ully read al	I the condition	ons of bid i	n Ref. No				
for supply, installation	n, demons	tration & co	mmissionin	g Machin	eries	and will abi	de by all	the
terms & conditions of	the Bid.							
We do hereby	declare tha	nt I/We are n	ot registere	d under t	he VA	AT Act as I/	We have	not
started any business	in the State	and have n	o liability u	nder the A	Act bu	ıt before awaı	d of the	final
contract we will produ	ce the VAT	Clearance C	Certificate in	Form VA	T 612	2.		
Place:					Sig	nature of the E	Bidders	
Date :						Official Sea	al	

N.B: The affidavit shall be made on no - judicial stamp paper of Rs. 20.00

BID REFERENCE NO. 2756 / BOSE, CUTTACK / TENDER – 12.08.2015 BID FORM

BID REFERENCE NO. 2756 / BOSE, CUTTACK / TENDER – 12.08.2015 DETAILS OF THE BIDDERS

Bid Reference No.

Date of Opening

Name and address of the Bidder:

- 1. Name of the bidder
 - a. Full postal address
 - b. Full address of the premises
 - c. Telegraphic address
 - d. Telephone number
 - e. Fax number
 - f. E mail:
 - g. PAN No
 - h. TIN No
- 2. Total annual turn-over (value in Rupees)
- 3. Quality control arrangement details
- 4. Test certificate held
 - a. Type test
 - b. BIS/ISO certification
 - c. Any other
- 5. Details of staff
 - a. Technical
 - b. Skilled
 - c. Unskilled
- 6. Branch Office/ Contact Person/ Liasoning Office in Odisha.
 - a. Address
 - b. Telephone No.
 - c. e-mail
 - d. Fax of the

Signature and seal of the Bidder

BID REFERENCE NO. 2756 / BOSE, CUTTACK / TENDER – 12.08.2015 CHECK LIST

Description	Cover		Page No.
EMD in the form of DD / BG (Annexure - IX) shall be kept	Α	Yes / No	
in an envelope			
Duly attested photocopy of manufacturing License /	Α	Yes / No	
Dealership / Distributorship Certificates for the product			
duly approved by the Licensing authority for each and			
every product quoted.			
Duly attested photocopy of Import License, if imported	Α	Yes / No	
Authorization letter nominating a responsible person /	Α	Yes / No	
liaisoning agent of the bidder to transact the business with			
the Bid Inviting Authority			
Performance Report for 5 years (Annexure – IV)	Α	Yes / No	
Manufactures authorization (Annexure - III)	Α	Yes / No	
Bid Form (Annexure – VI)	Α	Yes / No	
Details of the Bidders (Annexure – VII)	Α	Yes / No	
BIS certificate if any or equivalent. (wherever applicable)	Α	Yes / No	
The Bid document signed by the bidder in all pages with	Α	Yes / No	
office seal.			
An affidavit regarding VAT clearance (Annexure - VI)	Α	Yes / No	
VAT clearance certificate	Α		
Price Schedule – Annexure – I	В	Yes / No	
Detailed Lay out, mandatory drawings and Foundation	Α	Yes / No	
drawing etc.			
Schedule of supply of items with detail Specification	Α	Yes / No	
including Demonstration, Installation, Commissioning &			
Training			
	EMD in the form of DD / BG (Annexure – IX) shall be kept in an envelope Duly attested photocopy of manufacturing License / Dealership / Distributorship Certificates for the product duly approved by the Licensing authority for each and every product quoted. Duly attested photocopy of Import License, if imported Authorization letter nominating a responsible person / liaisoning agent of the bidder to transact the business with the Bid Inviting Authority Performance Report for 5 years (Annexure – IV) Manufactures authorization (Annexure – III) Bid Form (Annexure – VI) Details of the Bidders (Annexure – VII) BIS certificate if any or equivalent. (wherever applicable) The Bid document signed by the bidder in all pages with office seal. An affidavit regarding VAT clearance (Annexure – VI) VAT clearance certificate Price Schedule – Annexure – I Detailed Lay out, mandatory drawings and Foundation drawing etc. Schedule of supply of items with detail Specification including Demonstration, Installation, Commissioning &	EMD in the form of DD / BG (Annexure – IX) shall be kept in an envelope Duly attested photocopy of manufacturing License / A Dealership / Distributorship Certificates for the product duly approved by the Licensing authority for each and every product quoted. Duly attested photocopy of Import License, if imported A Authorization letter nominating a responsible person / A liaisoning agent of the bidder to transact the business with the Bid Inviting Authority Performance Report for 5 years (Annexure – IV) A Manufactures authorization (Annexure – III) A Bid Form (Annexure – VI) A BIS certificate if any or equivalent. (wherever applicable) A The Bid document signed by the bidder in all pages with a office seal. An affidavit regarding VAT clearance (Annexure – VI) A VAT clearance certificate Price Schedule – Annexure – I Detailed Lay out, mandatory drawings and Foundation A drawing etc. Schedule of supply of items with detail Specification A including Demonstration, Installation, Commissioning &	EMD in the form of DD / BG (Annexure – IX) shall be kept in an envelope A yes / No in an envelope A yes / No Dealership / Distributorship Certificates for the product duly approved by the Licensing authority for each and every product quoted. Duly attested photocopy of Import License, if imported A yes / No Authorization letter nominating a responsible person / A liaisoning agent of the bidder to transact the business with the Bid Inviting Authority Performance Report for 5 years (Annexure – IV) A yes / No Manufactures authorization (Annexure – III) A yes / No Bid Form (Annexure – VI) A yes / No Details of the Bidders (Annexure – VII) A yes / No BIS certificate if any or equivalent. (wherever applicable) A yes / No office seal. An affidavit regarding VAT clearance (Annexure – VI) A yes / No VAT clearance certificate Price Schedule – Annexure – I B yes / No Detailed Lay out, mandatory drawings and Foundation A yes / No drawing etc. Schedule of supply of items with detail Specification A yes / No including Demonstration, Installation, Commissioning &

BID REFERENCE NO. 2756 / BOSE, CUTTACK / TENDER – 12.08.2015 PERFORMANCE SECURITY

Bank Guarantee No.:	Notification of Award No
То	
The Principal, BOSE, Cuttack.	
the supplier (hereinafter called "the supplier"datedto supply	we the supplier been stipulated by you in the said a Bank Guarantee by a Nationalized /commercial ied therein as security for compliance with the see with the contract.
We further agree that no change or ad contract to be performed thereunder or of any	dition to or other modification of the terms of the y of the contract documents which may be made ease us from any liability under this guarantee and n or modification.
This guarantee is valid until	. Day of month of 20
guarantee amount depending on the filing of	ame & Address of the branch) is liable to pay the of claim and any part thereof under this Bankbranch a written claim or demand and pefore Dt
Otherwise bank shall be discharged of all liabilit	ies under this guarantee thereafter.
	(Signature of the authorized officer of the Bank)

(Name and Designation of the Officer) Seal, Name & address of the Bank address of the Branch

BID REFERENCE NO. 2756 / BOSE, CUTTACK / TENDER – 12.08.2015 BID SECURITY FORM

Whereas1(hereinafter called "the Bidder") has submitted their bid
dated(date of submission of bid)for the supply of(Name and/or
description of the goods)(Hereinafter called "the Bid") against the purchaser's bid enquiry
No
KNOW ALL PEOPLE by these presents that WE of
having our registered office at are boundun
to(Name of Purchaser) (hereinafter called "the Purchaser") in the sum
of for which payment will and truly to be made to the said Purchaser,
the Bank binds itself, its successors, and assigns by these presents.
Sealed with the Common Seal of the said Bank this day of 20
THE CONDITIONS of this obligation are:
1. If the Bidder
a. Withdraws or amends, impairs or derogates from the Bid in any respect with in the period of bid validity of this Bid.
b. Does not accept the correction of errors in accordance with the ITB; or
2. If the Bidder, having been notified of the acceptance of his bid by the Purchaser during the
period of bid validity:
a. Fails or refuses to execute the Contract Form or
b. Fails or refuses to furnish the performance security, in accordance with the Instruction to Bidder; we undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.
This guarantee will remain in force up to and including forty five (45) days after the period of the
bid validity, and any demand in respect thereof should reach the Bank not later than the above date.
Ourbranch at(Name & Address of the branch)is liable to pay the guaranteed amount depending on the filing of claim and any part thereof under this Bank Guarantee only and only if you serve upon us at ourbranch on or before Dtotherwise bank shall be discharged of all liabilities under this guarantee thereafter.
(Signature of the authorised officer of the Bank)
(Name and Designation of the officer)
Seal, Name & address of the Bank address of the Branch

Note: The bank guarantee [submitted by Indian Bidder] should be executed on stamp paper in accordance with stamp Act. The stamp paper should be in the name of executing bank.

BID REFERENCE NO. 2756 / BOSE, CUTTACK / TENDER – 12.08.2015 CONTRACT FORM

THIS AGREEMENT made the day of	Between
	Purchaser) (here in after called "the Purchaser") on
behalf of Governor of Odisha, of the one	part and (Name of Supplier) of
(City and Country of Supplier)	(herein after called "the Supplier") of the other part :
WHEREAS the Purchaser is desirous that	at certain Goods and ancillary services viz.,
(Brief Description of G	oods and Services) and has accepted a bid by the
Supplier for the supply of those goods and s	ervices in the sum of(Contract
Price in Words and Figures) (here in after calle	d "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. That the time shall be the essence of the contract and the supplier shall supply the goods in the schedule completely so as to make delivery.....(place) on or before the date......failure to do which will entitle the Governor to rescind the contract immediately.
- 2. That the goods shall be of the specifications and price mentioned against each. Any variation on inspection will entitle the Governor to refuse the consignments either in whole or in part, as the case may be, the whole, if the part renders it useless.
- 3. That the goods shall be inspected at......(place) in the presence of the officers of both parties duly authorized in that behalf of a day fixed in a notice by either of parties, provided such day is not postponed for more than a period of two months after the date given in the notice. Default by the supplier shall disentitle him to raise any objection subsequently to the result of inspection made by the Governor in his absence and claim any compensation on that account
- 4. That the supplier shall guarantee durability of the goods for a period of...........from the date of completion of supplies and installation in the case of machineries and any damage, done to the goods in the usual course of use or any deficiency, detected in them subsequent to such completions installation and during the period aforesaid shall be made good to render due service at the cost of the supplier within a period of two months from the date of receipt of the notice in that behalf and no decision shall be taken by the supplier or any person on his behalf as to the defects or deficiency without notice to the Governor failure to do so shall be deemed that supplier has no intention to discharge the obligation and there upon the amount of security, deposited separately or withhold from his bill, shall ,stand forfeited to the Governor. The supply of goods other than machineries shall be deemed to be complete only after final approval by the officer duly authorized on inspection whose decision shall be final and in case of machineries exactly in the same manner and installation which would include test working for 7(seven)days.
- 5. The Goods shall be duly packed and insured by the supplier for transit and be dispatched at the risk of the carriers and the Governor shall not responsible for any loss or damage during the transit or any time prior to inspection and approval.
- 6. That the price of goods shall be paid on completion of supplies and installation.
- 7. That any damage or deficiency if not removed during stipulated period by the supplier may be removed by the Governor at his cost to be reimbursed by the Supplier. Any amount payable to the Governor here under shall be recovered as public demand under the Orissa Public Demand Recovery Act, 1963 and shall bear 6% Interest per annum till certificate for recovery is

filed.

- 8. That the supplier shall deposit Rs 5% of contract value towards performance security at the time of acceptance of contract for due performance of the covenants hereof and such money shall be forfeited to the Governor in case of breach of all or any of the covenants.
- 9. That any dispute arising hereunder shall be resolved in following manner. The Purchaser and the Supplier should try to resolve the disputes, if any, arising out of the contract, amicably between them, failing which the same shall be referred to the Commissioner Cum Secretary to Government, Employment, Technical Education & Training Department, Government of Odisha, Bhubaneswar for adjudication as the sole Arbitrator under the provisions of the Arbitration and Conciliation Act, 1996 whose decision will be final and binding on all the parties to the dispute.

10.That	Sri				. is	duly	authorized	in	the	order	No
		dated		by the G	overn	or and	Sri				
on bel	half o	of the company	to execute	the deed.							

- 11. The cause of action hereunder shall always be deemed to raise at Cuttack.
- 12. That stamp duty shall be borne by supplier.

Brief particulars of the goods and services which shall be supplied / provided by the Supplier are as under:

SL. NO.	BRIEF DESCRIPTION OF GOODS & SERVICES	QUANTITY TO BE SUPPLIED	UNIT PRICE	TOTAL PRICE	DELIVERY TERMS

DELIVERY SCHEDULE:

IN WITNESS WHEREOF the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, Sealed and Delivered by the	
said(Fo	or the Purchaser
in the presence of:	
Signed, Sealed and Delivered by the	
Said(F	or the Supplier)
In the presence of	

SECTION – IV SCHEDULE OF REQUIREMENTS AND TECHNICAL SPECIFICATION

BOSE 2015 SUBMISSION BID PACKAGE No. 01 LABORATORY EQUIPMENTS FOR MECHANICAL ENGG. DEPARTMENT

Item No.	Description	Quantity	Rate	Amount
1	Beam apparatus (simple supported beam) 2 compression dial type	2 Nos.		
	spring balance of long capacity complete with hooks and weights			
2	Strain gauge: FA SERIES, Gauge length 0.3 mm to 60 mm, Gauge	1 No.		
	Resolution within \pm 0 - 3% in the Gauge Factor - 2.00 (nonikal),			
	Measure scale their 2 to 4% maximum, Temp range ± 30° to + 80° C			
	Calibration of Stain Gauge : (0 – 1000 microstand)			
	CNC Milling Machine (production) with different types of tool holders,			
	cutting tool / cutter, edge finder, fixture & liver type dial gauge. Make			
	BFW / HMT / MTAB & other reputed makes.			

BOSE 2015 SUBMISSION BID PACKAGE No. 02 CENTER OF EXCELLENCE IN BIO-MEDICAL INSTRUMENTATION EQUIPMENT REQUIRED (NON – RECURRING EXPENDITURE)

SI. No.	Name of the items	Quantity	Rate	Amount
1	a. ECG Machine	1 No.		
	Technical Specification :			
	Online Global access.			
	 Direct phone call facility to examiner / patient 			
	 Facility to send and receive ECG from numerous locations. 			
	Bi-directional transmission.			
	Patient's clinical data maintained with history			
	Wireless patient data transmission with PC / Laptop			
	Secure GPRS connection for transmission with PC / Laptop			
	Secure GPRS connection for transmission of Vital data			
	SMS notification facility.			
	One touch Upload facility of patient's data.			
	Specialist diagnosis report with single click Download key. Support for all project with single click Download key. And add to the control of			
	 Support for all major wireless devices and platforms (Android, Plant Barry) 			
	Black Berry) Or			
	b. ECG Machine	1 No.		
	Technical Specification :	1 140.		
	Should be Single channel.			
	Should have Automatic and Manual mode			
	 Should have Addomatic and Mandai mode Should have visual alarm for open lead 			
	· ·			
	 Should be able to take minimum 30 ECG with a fully charged battery 			
	batteryShould have a standard thermal paper(should be available in			
	 Should have a standard thermal paper(should be available in Local Market) 			
	Should have a maintenance free digital thermal array printer			
	Should be compact and portable.			
	Should have ECG lead annotation facility.			
	• Should supplied with 2 patient cable, eight clip on electrodes			
	(thread type),12 chest electrode with silicon rubber bulb and 12			
	packets of recording paper,1 bottle of jelly and 12 nos. of reusable			
	button type electrode			
	 Should operate on mains(220v-50Hz) and rechargeable battery 			
	 Should have safety certificate from a competent authority CE / 			
	FDA (US) / STQC CB certificate / STQC S certificate or valid			
	detailed electrical and functional safety test report from ERTL.			
	Copy of the certificate / test report shall be produced along with			
	the technical bid.			
	Or			
	c. ECG Machine:	1 No.		
	It shall records the Electrical activity of the heart			
	It provide the valuable information about cardiac disorders			
	 It should contain the auxiliary circuits such as chart, transport, motor 			
	 It should use to take coronary care & other routine diagnostics 			
	application in cardiology			
				38

2 Instantaneous Heart rate meters 3 Average heart rate meters 4 Ultrasonic Doppler shift based FHR measuring system 5 X - Ray machine • High Frequency X-Ray machine suitable for general radiography. X - RAY GENERATOR: • High Frequency X-Ray generator having Frequency of 40 KHz or more suitable for Radiography Should be provided. • Power output of generator should be 25 KW or more • Radiography KV range should be 40 to 110 KV or more • mA range (Red.): 300 mA or more • Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
4 Ultrasonic Doppler shift based FHR measuring system 5 X – Ray machine • High Frequency X-Ray machine suitable for general radiography. X – RAY GENERATOR: • High Frequency X-Ray generator having Frequency of 40 KHz or more suitable for Radiography Should be provided. • Power output of generator should be 25 KW or more • Radiography KV range should be 40 to 110 KV or more • mA range (Red.): 300 mA or more • Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
 X – Ray machine High Frequency X-Ray machine suitable for general radiography. X – RAY GENERATOR: High Frequency X-Ray generator having Frequency of 40 KHz or more suitable for Radiography Should be provided. Power output of generator should be 25 KW or more Radiography KV range should be 40 to 110 KV or more mA range (Red.): 300 mA or more Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
 High Frequency X-Ray machine suitable for general radiography. X – RAY GENERATOR: High Frequency X-Ray generator having Frequency of 40 KHz or more suitable for Radiography Should be provided. Power output of generator should be 25 KW or more Radiography KV range should be 40 to 110 KV or more mA range (Red.): 300 mA or more Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
 X – RAY GENERATOR: High Frequency X-Ray generator having Frequency of 40 KHz or more suitable for Radiography Should be provided. Power output of generator should be 25 KW or more Radiography KV range should be 40 to 110 KV or more mA range (Red.): 300 mA or more Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
 High Frequency X-Ray generator having Frequency of 40 KHz or more suitable for Radiography Should be provided. Power output of generator should be 25 KW or more Radiography KV range should be 40 to 110 KV or more mA range (Red.): 300 mA or more Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
more suitable for Radiography Should be provided. • Power output of generator should be 25 KW or more • Radiography KV range should be 40 to 110 KV or more • mA range (Red.) : 300 mA or more • Exposure time (Red.) : 1 ms to 2 sec. with maximum numbers of steps.
 Power output of generator should be 25 KW or more Radiography KV range should be 40 to 110 KV or more mA range (Red.): 300 mA or more Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
 Radiography KV range should be 40 to 110 KV or more mA range (Red.): 300 mA or more Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
 mA range (Red.): 300 mA or more Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
Exposure time (Red.): 1 ms to 2 sec. with maximum numbers of steps.
steps.
Control: A very compact, Soft Touch Control Panel having following
function & indication should be provided. The Panel can be supplied in
floor or wall mount with spill proof design Following features should be
available on the control panel.
Machine ON/OFF switch
Digital Display of KV & mAs.
KV & mAs increase and decrease switches.
Tube focal spot selection switch.
Ready and X-ray on switch with indicators.
Bucky Selection switch.
Self diagnostic Programme with Indicators for Earth fault error, KV
error, filament error & Tube's Thermal Overload. Dual action hand
switch retractable cord should be provide.
X – RAY TUBE :
One No Dual focus Rotating Anode BEL/Toshiba/Imported X-ray tube thermally protected beginn focal anotic
tube thermally protected having focal spot:- 1mm or less small Focus.
2mm or less large Focus.
Anode heat storage capacity of tube should be more than 100
KHU
One pair of 8 meter H.V Cable.
One no manual collimator with aluminum filter & for adjustment
exposure area.
COLUMIN STAND :
It should have floor to ceiling stand with vertical counter balanced
travel.
It should have 360 deg. Rotation.
It should be provided one chest stand with machine.
Table
Five position manual tilt table having bucky grid ratio of 6:1 with 60
lines per inches should be provided.
The bucky tray should accept cassette up to 14 th x 17 th size.
Other Requirements:
The company should be ISO Certified
The company should have a Local Service Center.
The company should have proven track record in Govt. Sector.
Three years guarantee from the date of installation
The machine should be supplied with working compatibility on
three phase power supply.
Rate of CMC including X-ray Tube for Five years to be submitted.

Demo of machine May be called if required. The company should proved layout plan and QE test report for registration from AERB. Or Technical Specification 500MA X - Ray Machine with Motorised Table: X - Ray Machine: 500mA, 125 KVP Full Wave solid State Silicon Rectified X – ray Generator for Radiography suitable for single tube operation as per IS: 7620 with latest amendments. **Timer (RAD.):** The exposure timer should be digital & from 0.02 sec to 5 sec. **Control:** consisting of on and off switches, with Voltmeter, mA meter, quick trip - overload circuit breaker (automatic safety system to block unwanted exposure factors beyond tube rating), Voltage compensator, major and minor KV selector. Tube overload indicator provided, space charge compensator, technic selector. Digital Display of active KVP, & mAs, Anode breaking Device. Electronic overload for protection of tube H.V. cables & H.T Tank. Ready & X - Ray Switch on Control. Static balancer: 50 KVA, 3 – phase to 1 – phase reduction at 50 Hz. with maximum allowed resistance of 0.25 ohms in 415 volt line. HV Transformer: Compact Heavy Duty Transformer comprising HV Silicon Rectifiers, HT Transformer, Filament Transformer, Bushings all immersed in high dielectric strength transformer oil. Accessories: Hand Switch with Flexible long cord enables the operator to keep away from Radiation area during exposure. Power Supply Requirement: 440 V AC, 50 Hz, Three Phase – Max. Allowable line Regulation ± 10% **Tube Unit:** One No. 20/40 Rotating Anode X - Ray Tube Unit (BEL / TOSHIBA or equivalent) with dual focus (large & small focus). HV Cable: One Pair of 10 meter High Voltage Cables: Sleevings Straight **Ultrasound machine** 1 No. Description of Function: High resolution Gray scale ultrasound for trans -abdominal examination. **Operational Requirements:** Latest generation Electronic Phased array system with Minimum 500 / 1000 Electronic independent channels; desirable 2000 / 4000 Electronic channel System should be DICOM ready and capable of being interfaced with HIS / RIS / PACS. Should be field up gradable to next generation system on site. All new software should be upgrade free of cost for at least 3 years. Frequency compounding or better technology for better resolution and penetration. **Technical Specifications:** Phase array probe system with Minimum 500 / 1000 Electronic independent channels. 256 gray shades for sharp contrast resolutions. Probe to be supplied which should be latest generation wide band transducer. Harmonic Imaging-System should have Harmonics on all the probes following modes in harmonic with separate setting for: Trapezoidal image.

- Automated Gain control for additional level of flexibility to image quality control.
- Real time high frequency 2D for higher resolution.
- Monitor should be 15" or more, high resolution Colour Monitor. Tilt and Swevel monitor should be able to view in all light conditions.
- Various maps for pre and application presets for multi-user department.
- Userdefine system and application presets for multi-user department.
- Minimum 4.8 GB optical disc drive / 80GB hard drive for image storage and retrieval. (Standard with system)
- · Cine loop memory- than 100 frames.
- High frame rate review for better clarity of play back images study in slow motion.
- Quad loop with memory for pre and post images comparison of any procedure.
- Memory-256 frames or more in QUAD loop.
- Frame grabber facility for post analysis.
- Facility for high definition digital acquisition, review and editing of complete patient studies.
- Frame rate should be 1000 FPS or more.

System Configuration Accessories :

- Convex probe 2-5 MHz
- B/W thermal printer of latest model.
- DVD/CD Recorder with DICOM media transfer.

Environmental factors:

- The unit shall be capable of operating continuously in ambient temperature of 30deg C and relative humidity of 80%.
- Pre Requisites should be clearly spelt out in terms of room requirements.

Power Supply:

- Power input to be 220-240VAC, 50Hz fitted with Indian plug.
- Resettable over current breaker shall be fitted for protection.
- Suitable Servo controlled Stabilizer/CVT.
- Online UPS of suitable rating with voltage regulation and spike protection for 30minutes backup.

Standards, Safety and Training:

- Should be FDA or CE approved product.
- Electrical safety conforms to standards for electrical safety IEC-60601/IS-13450
- The product shall comply to IEC 60601-2-37 ed1: Medical Electrical Equipment-Part 2-37: Particular Requirements for the Safety of Ultrasonic Medical Diagnostic and Monitoring Equipment.
- Type of protection against electric shocks—Class I Degree of protection against electric shocks for ultrasound probes Type "BF" For ECG electrodes Type 'CF"
- Manufacturer/Supplier should have ISO certification for quality standards.

Documentation:

- User manual in English.
- Service manual in English.
- List of important spare parts and accessories with their part number and costing available in stock with the supplier.

	Maintenance and Serviceability :		
	Remote Service Network Connectivity.		
	Optional Service agreement.		
	Online phone Support.		
	Clinical application support.		
7	Stimulators (Muscle stimulator)	1 No.	
8	Multimeter (Digital)	2 Nos.	
9	Patient table	1 No.	
10	Pace maker	2 Nos.	
	Internal		
	External		
11	BP apparatus-Sphygmomanometer & One Digital	2 Nos.	
12	Different types of ECG electrodes	As req.	
13	ECG paper	As req.	
14	X – Ray Machine (Dental / Portable)	1 no.	
	Generator :	each	
	a. Inverting Frequency within 20 KHz		
	b. Exposure kVp with in 61 – 85 KVp		
	c. Exposure mA within 4 – 10 mA		
	d. mAs within 2 – 40 mAs		
	e. Voltage within 220V		
	f. Maximum power within 85 kVp, 10 mA, 15s		
	X – ray Tube :		
	a. Focus within 0.5 mm		
	b. Inherent filtration within >2.5 mm Al		
	c. Cassettee size within 15 x 30 cm on Panoramic and 18 x 24 cm on		
	Ceph		
	Mechanical System :		
	a. Focus image distance within 51.3 cm on Panasonic and 165 cm		
	on Ceph		
	b. X-ray tube vertical moving rage within 89 – 175 cm	•	
	Darkroom model and accessories	As req.	
	Cassete pass box	1 No.	
	Cassetees (different type) at least two	1 No.	
	Electronic components-relays, contactors, switches, transformers for	As req.	
	demonstration	0.11	
	Respiration rate measurement meter	2 Nos.	
20	Blood pressure measuring tools	4 Nos.	

BOSE 2015 SUBMISSION BID PACKAGE No. 03 LABORATORY EQUIPMENTS FOR AUTOMOBILE ENGG. DEPARTMENT

1 Nozzel grinding & lapping M/C 2 Vacuum and Fuel pump Tester Weight — 02 Pound, Dimension = 11.9 X 8.2 X 2.4 inch. Output pressure = 10 PSI. 3 Ignition coil tester Typical value = 0.4 to 2 ohm 4 Multi Car scanner : Operating system : LINUX Memory — 16 MB, CF card — 512 MM, Volt — DC / 2 V / 24 V, Power — 9 Watt, Display 240 X 320 LCD with touch screen 5 Valve Spring Tester : Power — 110 / 220 V. AC Stroke / Opening 3.5", Accuracy ± 0.001 Distance, ± 1lbs Force, Air pressure = 120 PSI Maximum spring pressure = 1000 lbs 6 Maruti 800 Alto Engine Euro base as per the Company 7 Diesel car Engine Euro BASED (INNOVA) as per company 8 TURBO Engine EURO BASED (HONDA) as per the Company 9 Full floating and semi floating Analyzer : For light vehicle only (four wheeler) 10 Computerized injector cleaning and testing machine. • Having LCD Display fully programme operation • Pulse flow test • RPM Test from 500 — 9900 • Solonoid test • Measurement Test 11 De-carboniser : Injector Cleaner & Engine de-carboniser 1. Weight — 35 kg 2. Height — 1016.0 mm 3. Width — 381.0 mm 4. Depth — 3302 mm 1 Timer — 30 minute spring type Pressure gauge 0 — 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type 12 Spray welding Machine : Pre Requisites Unit path — 1 MEM0500KC — Perform roufine, Loxy acetylene MEM12023A — Perform engineering measurements 13 Professional Engine Analyzer : Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer parameter Range precision 08000 RPM 1%, Spark voltage 0 — 4000 V 5%, Power — 50 W, Ignition Adv 0 — 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 — 40 KV, Cranking current 0 — 900 A 5% 14 EA — 2000 car Engine Analyzer 2. Certification CE 3. For Truck Yes	Item No.	Description	Quantity	Rate	Amount
2 Vacuum and Fuel pump Tester Weight – 02 Pound, Dimension = 11.9 X 8.2 X 2.4 inch. Output pressure = 10 PSI. 3 Ignition coil tester Typical value = 0.4 to 2 ohm 4 Multi Car scanner : Operating system : LINUX Memory – 16 MB, CF card – 512 MM, Volt – DC / 2 V / 24 V, Power – 9 Watt, Display 240 X 320 LCD with touch screen 5 Valve Spring Tester : Power – 110 / 220 V. AC Stroke / Opening 3.5", Accuracy ± 0.001 Distance, ± 1lbs Force, Air pressure = 120 PSI Maximum spring pressure = 1000 lbs 6 Maruti 800 Alto Engine Euro base as per the Company 7 Diesel car Engine Euro BASED (INNOVA) as per company 8 TURBO Engine EURO BASED (HONDA) as per the Company 9 Full floating and semi floating Analyzer : For light vehicle only (four wheeler) 10 Computerized injector cleaning and testing machine. • Having LCD Display fully programme operation • Pulse flow test • RPM Test from 500 – 9900 • Solonoid test • Measurement Test 11 De-carboniser : Injector Cleaner & Engine de-carboniser 1. Weight – 35 kg 2. Height – 1016.0 mm 3. Width – 381.0 mm 4. Depth – 3302 mm 1 imer – 30 minute spring type Pressure gauge 0 – 100 PSC Warming buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type 12 Spray welding Machine : Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements 13 Professional Engine Analyzer : Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% 14 EA – 2000 car Engine Analyzer 2. Certification CE 3. For Truck Yes		Nozzel grinding & lapping M/C	1 No.		
 Ignition coil tester Typical value = 0.4 to 2 ohm Multi Car scanner : Operating system : LINUX Memory – 16 MB, CF card – 512 MM, Volt – DC / 2 V / 24 V, Power – 9 Watt, Display 240 X 320 LCD with touch screen Valve Spring Tester : Power – 110 / 220 V. AC Stroke / Opening 3.5", Accuracy ± 0.001 Distance, ± 1lbs Force, Air pressure = 120 PSI Maximum spring pressure = 1000 lbs Maruti 800 Alto Engine Euro base as per the Company Diesel car Engine Euro BASED (INNOVA) as per company Full floating and semi floating Analyzer : For light vehicle only (four wheeler) Computerized injector cleaning and testing machine. Having LCD Display fully programme operation Pulse flow test RPM Test from 500 – 9900 Solonoid test Measurement Test De-carboniser : Injector Cleaner & Engine de-carboniser 1. Weight – 35 kg 2. Height – 1016.0 mm 3. Width – 381.0 mm 4. Depth – 3302 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type Spray welding Machine : Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements Professional Engine Analyzer : Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% EA – 2000 car Engine Analyzer Type Engine Analyzer 2. Certification CE 3. For Truck Yes		Vacuum and Fuel pump Tester Weight - 02 Pound, Dimension =			
 Multi Car scanner : Operating system : LINUX Memory – 16 MB, CF card – 512 MM, Volt – DC / 2 V / 24 V, Power – 9 Watt, Display 240 X 320 LCD with touch screen Valve Spring Tester : Power – 110 / 220 V. AC Stroke / Opening 3.5", Accuracy ± 0.001 Distance, ± 1lbs Force, Air pressure = 120 PSI Maximum spring pressure = 1000 lbs Maruti 800 Alto Engine Euro base as per the Company Diesel car Engine Euro BASED (INNOVA) as per company TURBO Engine EURO BASED (HONDA) as per the Company Full floating and semi floating Analyzer : For light vehicle only (four wheeler) Computerized injector cleaning and testing machine. Having LCD Display fully programme operation Pulse flow test RPM Test from 500 – 9900 Solonoid test Measurement Test De-carboniser : Injector Cleaner & Engine de-carboniser Weight – 35 kg Height – 1016.0 mm Width – 381.0 mm Depth – 3302 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type Spray welding Machine : Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements Professional Engine Analyzer: Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model N	3		1 No.		
3.5", Accuracy ± 0.001 Distance, ± 1lbs Force, Air pressure = 120 PSI Maximum spring pressure = 1000 lbs 6 Maruti 800 Alto Engine Euro base as per the Company 7 Diesel car Engine Euro BASED (INNOVA) as per company 8 TURBO Engine EURO BASED (HONDA) as per the Company 9 Full floating and semi floating Analyzer : For light vehicle only (four wheeler) 10 Computerized injector cleaning and testing machine. • Having LCD Display fully programme operation • Pulse flow test • RPM Test from 500 – 9900 • Solonoid test • Measurement Test 11 De-carboniser : Injector Cleaner & Engine de-carboniser 1. Weight – 35 kg 2. Height – 1016.0 mm 3. Width – 381.0 mm 4. Depth – 3302 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type 12 Spray welding Machine : Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements 13 Professional Engine Analyzer : Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% 14 EA – 2000 car Engine Analyzer 2. Certification CE 3. For Truck Yes		Multi Car scanner : Operating system: LINUX Memory – 16 MB, CF card – 512 MM, Volt – DC / 2 V / 24 V, Power – 9 Watt, Display	1 No.		
7 Diesel car Engine Euro BASED (INNOVA) as per company 8 TURBO Engine EURO BASED (HONDA) as per the Company 9 Full floating and semi floating Analyzer: For light vehicle only (four wheeler) 10 Computerized injector cleaning and testing machine. • Having LCD Display fully programme operation • Pulse flow test • RPM Test from 500 – 9900 • Solonoid test • Measurement Test 11 De-carboniser: Injector Cleaner & Engine de-carboniser 1. Weight – 35 kg 2. Height – 1016.0 mm 3. Width – 381.0 mm 4. Depth – 330 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type 12 Spray welding Machine: Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements 13 Professional Engine Analyzer: Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% 14 EA – 2000 car Engine Analyzer 1. Type Engine Analyzer 2. Certification CE 3. For Truck Yes		3.5", Accuracy \pm 0.001 Distance, \pm 1lbs Force, Air pressure = 120 PSI Maximum spring pressure = 1000 lbs			
8 TURBO Engine EURO BASED (HONDA) as per the Company 9 Full floating and semi floating Analyzer: For light vehicle only (four wheeler) 10 Computerized injector cleaning and testing machine. • Having LCD Display fully programme operation • Pulse flow test • RPM Test from 500 – 9900 • Solonoid test • Measurement Test 11 De-carboniser: Injector Cleaner & Engine de-carboniser 1. Weight – 35 kg 2. Height – 1016.0 mm 3. Width – 381.0 mm 4. Depth – 3302 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type 12 Spray welding Machine: Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements 13 Professional Engine Analyzer: Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% 14 EA – 2000 car Engine Analyzer 1. Type Engine Analyzer 2. Certification CE 3. For Truck Yes			1 No.		
9 Full floating and semi floating Analyzer: For light vehicle only (four wheeler) 10 Computerized injector cleaning and testing machine. • Having LCD Display fully programme operation • Pulse flow test • RPM Test from 500 – 9900 • Solonoid test • Measurement Test 11 De-carboniser: Injector Cleaner & Engine de-carboniser 1. Weight – 35 kg 2. Height – 1016.0 mm 3. Width – 381.0 mm 4. Depth – 3302 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type 12 Spray welding Machine: Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements 13 Professional Engine Analyzer: Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% 14 EA – 2000 car Engine Analyzer 1. Type Engine Analyzer 2. Certification CE 3. For Truck Yes		* ' ' ' ' '	1 No.		
(four wheeler) 10 Computerized injector cleaning and testing machine. • Having LCD Display fully programme operation • Pulse flow test • RPM Test from 500 – 9900 • Solonoid test • Measurement Test 11 De-carboniser: Injector Cleaner & Engine de-carboniser 1. Weight – 35 kg 2. Height – 1016.0 mm 3. Width – 381.0 mm 4. Depth – 3302 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type 12 Spray welding Machine: Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements 13 Professional Engine Analyzer: Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% 14 EA – 2000 car Engine Analyzer 1. Type Engine Analyzer 2. Certification CE 3. For Truck Yes			1 No.		
 Having LCD Display fully programme operation Pulse flow test RPM Test from 500 – 9900 Solonoid test Measurement Test De-carboniser: Injector Cleaner & Engine de-carboniser 1. Weight – 35 kg 2. Height – 1016.0 mm 3. Width – 381.0 mm 4. Depth – 3302 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type 12 Spray welding Machine: Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements 13 Professional Engine Analyzer: Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% 14 EA – 2000 car Engine Analyzer 1. Type Engine Analyzer 2. Certification CE 3. For Truck Yes 		(four wheeler)			
 Weight – 35 kg Height – 1016.0 mm Width – 381.0 mm Depth – 3302 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery) Wheels Rubberized coaster Type Spray welding Machine: Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements Professional Engine Analyzer: Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% EA – 2000 car Engine Analyzer Type Engine Analyzer Certification CE For Truck Yes 	10	 Having LCD Display fully programme operation Pulse flow test RPM Test from 500 – 9900 Solonoid test 	1 No.		
 MEM0500KC – Perform roufine, Loxy acetylene MEM12023A – Perform engineering measurements 13 Professional Engine Analyzer: Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 A 5% 14 EA – 2000 car Engine Analyzer 1. Type Engine Analyzer 2. Certification CE 3. For Truck Yes 	11	1. Weight – 35 kg 2. Height – 1016.0 mm 3. Width – 381.0 mm 4. Depth – 3302 mm Timer – 30 minute spring type Pressure gauge 0 – 100 PSC Warning buzzer Screen Power source 220 V. AC / 12 V. DC (Vehicle Battery)	1 No.		
Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 – 4000 V 5%, Power – 50 W, Ignition Adv 0 – 60 degree ± 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 – 40 KV, Cranking current 0 – 900 Å 5% 14 EA – 2000 car Engine Analyzer 1. Type Engine Analyzer 2. Certification CE 3. For Truck Yes		Spray welding Machine: Pre Requisites Unit path – 1 MEM0500KC – Perform roufine, Loxy acetylene	1 No.		
1. Type Engine Analyzer 2. Certification CE 3. For Truck Yes		Professional Engine Analyzer : Car Engine Analyzer, Type Engine Analyzer, Applicable models All kinds of car Model Number - E.A 2000 Engine test car Analyzer Parameter Range precision 08000 RPM 1%, Spark voltage 0 $-$ 4000 V 5%, Power $-$ 50 W, Ignition Adv 0 $-$ 60 degree \pm 1, Ignition duration 0.04.9.99 ms 0.04 ms, Model No. EA2000 Engine Analyzer, Ignition Voltage 0 $-$ 40 KV, Cranking			
15 Wheel turning machine		 Type Engine Analyzer Certification CE For Truck Yes Gasoline engine double cylinder. 	1 No.		

	16	Compression Engines scanning and turning for car	1 No.	
	17	Valve seat remover	1 No.	
Ī	18	Crank shaft grinding machine: Bed size 1600mm, stroke	1 No.	
		adjustment 5 – 60 mm. etc.		